Author Index

Allenmark, S., see Andersson, S. 81
Al-Thamir, W. K.
Rapid analysis of light hydrocarbons in stabilized crude oils by gas chromatography 231
Amadò, R., see Bettler, B. 213, 223
Andersson, S.
——, Allenmark, S., Erlandsson, P. and Nilsson, S.
Direct liquid chromatographic separations of enantiomers on immobilized protein stationary phases. VIII. A comparison of a series of sorbents based on bovine serum albumin and its fragments 81
Aubel, M. T.
—— and Guiochon, G.
Characterization of reversed-phase high-performance liquid chromatographic stationary phases using ribonuclease A 281
Azerad, R.
——, Boucher, J. L., Dansette, P. and Delaforge, M.
High-performance liquid chromatographic separation of 11-hydroxylauric acid enantiomers. Application to the determination of the stereochemistry of microsomal lauric acid ($\omega-1$) hydroxylation 293
Barbaro, A. M., see Biagi, G. L. 179
Barbieri, S., see Biagi, G. L. 179
Berner, S., see Isaksson, R. 257
Bettler, B.
——, Amadò, R. and Neukom, H.
Electrophoretic separation of sugars and hydrolysates of polysaccharides on silylated glass-fibre paper 213
——, Amadò, R. and Neukom, H.
Electrophoresis of uronic acids, neutral sugars and hydrolysates of acidic polysaccharides on silylated glass-fibre paper in electrolytes of bivalent cations 223
Biagi, G. L.
——, Guerra, M. C., Barbaro, A. M., Barbieri, S., Recanatini, M., Borea, P. A. and Pietrogrande, M. C.
Study of the lipophilic character of xanthine and adenosine derivatives. I. R_m and log P values 179
Boleyé, A., see Foriers, A. 105
Borea, P. A., see Biagi, G. L. 179
Boucher, J. L., see Azerad, R. 293
Brindle, I. D.
—— and Li, X.-F.
Investigation into the factors affecting performance in the determination of polycyclic aromatic hydrocarbons using capillary gas chromatography–mass spectrometry with splitless injection 11
Cachia, C.
——, Flamion, P.-J. and Schreiber, J.-P.
Purification of core salt-extracted *E. coli* 30S ribosomal protein by high-performance liquid chromatography under non-denaturing conditions 417
Caffey, K. P., see Salotto, A. W. 55
Camilleri, P.
——, Dyke, C. A., Paknoham, S. J. and Senior, L. A.
Direct resolution of the optical isomers of fenoldopam and one of its derivatives 414
Carron, J. M., see Lee, H.-B. 367
Carty, R. L., see Salotto, A. W. 55
Caude, M., see Siret, L. 67
Chase, H. A., see Skidmore, G. L. 113
Chum, H. L., see Himmel, M. E. 93
Cooper, S. D.
—— and Pellizzari, E. D.
Characterization of polyimide sorbents by using tracer pulse chromatography 41
Dansette, P., see Azerad, R. 293
Delaforge, M., see Azerad, R. 293
Delgado, C.
——, Tejedor, M. C. and Luque, J.
Partial purification of glucose 6-phosphate dehydrogenase and phosphofructokinase from rat erythrocyte haemolysate by partitioning in aqueous two-phase systems 159
De Ligny, C. L., see Gelsema, W. J. 237, 325
Duffield, A. M., see Reilly, P. J. 35
Dyke, C. A., see Camilleri, P. 414
Einarsson, Ö.
——, Gorczak, J., Lundmark, B.-O. and Palmqvist, U.
Computerized capillary gas chromatographic analysis of hydrocarbon mixtures in workplace air 381
Erlandsson, P., see Andersson, S. 81
——, see Isaksson, R. 257
Fernández-Sánchez, E.
——, García-Domínguez, J. A., Menéndez, V. and Santiuste, J. M.
Programmed-temperature retention indices. A survey of calculation methods 1

Flamion, P.-J., see Cachia, C. 417
Foriers, A.
——, Rombaut, B. and Boeyé, A.
Use of high-performance size-exclusion chromatography for the separation of poliovirus and subviral particles 105
Fukuyama, T., see Nishi, H. 313
García-Domínguez, J. A., see Fernández-Sánchez, E. 1
Garrigues, P., see Matsuzawa, S. 25
Gelsema, W. J.
—— and De Ligny, C. L.
Comparison of phenyl- and octyl-Sepharose CL-4B in the hydrophobic interaction chromatography of simple aliphatic and aromatic compounds 237
—— and De Ligny, C. L.
Determination of the charge of ions by partition measurements in aqueous polymer two-phase systems 325
Gerasimenko, V. A.
—— and Nabivach, V. M.
Relationships between gas chromatographic retention indices and molecular structure of aromatic hydrocarbons 357
Gorczak, J., see Einarsson, Ö. 381
Grohmann, K., see Himmel, M. E. 93
Guerra, M. C., see Biagi, G. L. 179
Guichard, E.
——, Kustermann, A. and Mosandl, A.
Chiral flavour compounds from apricots. Distribution of γ-lactone enantiomers and stereodifferentiation of dihydroactinidiolide using multi-dimensional gas chromatography 396
Guiochon, G., see Aubel, M. T. 281
Haalck, L.
—— and Spener, F.
Prediction of retention times of hydroxylated triacetylglycerols in reversed-phase high-performance liquid chromatography 410
Hadžija, O., see Škvorc, I. 428
Hansson, L., see Isaksson, R. 257
Himmel, M. E.
——, Tatsumoto, K., Grohmann, K., Johnson, D. K. and Chum, H. L.
Molecular weight distribution of aspen lignins from conventional gel permeation chromatography, universal calibration and sedimentation equilibrium 93
Holmberg, A., see Isaksson, R. 257
Horstmann, B. J., see Skidmore, G. L. 113
Isaksson, R.
——, Erlandsson, P., Hansson, L., Holmberg, A. and Berner, S.
Triacetylcellulose as a chiral stationary phase for high-performance liquid chromatography 257
Iskrić, S., see Škvorc, I. 428
Ito, Y.
——, Oka, H. and Lee, Y. W.
Improved high-speed counter-current chromatograph with three multilayer coils connected in series. II. Separation of various biological samples with a semipreparative column 169
Johansson, I. M.
—— and Schubert, B.
Separation of hordenine and N-methyl derivatives from germinating barley by liquid chromatography with dual-electrode coulometric detection 241
Johnson, D. K., see Himmel, M. E. 93
Kamata, K.
—— and Motohashi, N.
Separation of methyl-substituted benz[*c*]acridines by cation-exchange high-performance liquid chromatography 129
Kaneta, T., see Tanaka, S. 205
Kaniansky, D.
—— and Marák, J.
On-line coupling of capillary isotachophoresis with capillary zone electrophoresis 191
Koch, H., see Marti, A. M. 145
Kříž, J., see Punčochářová, J. 248
Kustermann, A., see Guichard, E. 396
Lee, H.-B.
——, Peart, T. E. and Carron, J. M.
Gas chromatographic and mass spectrometric determination of some resin and fatty acids in pulpmill effluents as their pentafluorobenzyl ester derivatives 367
Lee, Y. W., see Ito, Y. 169
Li, X.-F., see Brindle, I. D. 11
Ligny, C. L. de, see Gelsema, W. J. 237, 325
Lundmark, B.-O., see Einarsson, Ö. 381
Luque, J., see Delgado, C. 159
Marák, J., see Kaniansky, D. 191
Marti, A. M.
——, Mooster, A. E. and Koch, H.
Determination of benzimidazole anthelmintics in meat samples 145
Matsuo, M., see Nishi, H. 313
Matsuzawa, S.
——, Garrigues, P., Setokuchi, O., Sato, M., Yamamoto, T., Shimizu, Y. and Tamura, M.
Separation and identification of monomethylated polycyclic aromatic hydrocarbons in heavy oil 25
Menéndez, V., see Fernández-Sánchez, E. 1
Miething, H.
—— and H.-W. Rauwald
Physikalisch-chemische Parameter einiger chloroformhaltiger Fliessmittelsysteme in der Droplet Counter-Current Chromatographie 303

Miyashita, M.
—— and Yamashita, S.
Studies on iodinated compounds. V. Reversed-phase high-performance liquid chromatographic determination of iodide with cyclodextrin-containing mobile phases 137
Mooser, A. E., see Marti, A. M. 145
Mosandl, A., see Guichard, E. 396
Motohashi, N., see Kamata, K. 129
Nabivach, V. M., see Gerasimenko, V. A. 357
Nayak, V. S.
New solid adsorbents for the separation of lower hydrocarbons and permanent gases. I. Ammonium tungstophosphate 349
Neukom, H., see Bettler, B. 213, 223
Nielsen, H.
Three-step one-dimensional thin-layer chromatographic separation of neutral lipids 423
Nilsson, S., see Andersson, S. 81
Nishi, H.
——, Fukuyama, T., Matsuo, M. and Terabe, S.
Separation and determination of the ingredients of a cold medicine by micellar electrokinetic chromatography with bile salts 313
Oka, H., see Ito, Y. 169
Paknoham, S. J., see Camilleri, P. 414
Palmqvist, U., see Einarsson, Ö. 381
Peart, T. E., see Lee, H.-B. 367
Pellizzari, E. D., see Cooper, S. D. 41
Petrukhin, O. M., see Timerbaev, A. R. 337
Pietrogrande, M. C., see Biagi, G. L. 179
Punčochářová, J.
——, Vařeka, J., Vodička, L. and Kříž, J.
High-performance liquid chromatography of alkylnaphthalenes and phenylnaphthalenes on alumina 248
Racine, S. C., see Salotto, A. W. 55
Rauwald, H.-W., see Miething, H. 303
Recanatini, M., see Biagi, G. L. 179
Reilly, P. J.
——, Suann, C. J. and Duffield, A. M.
Gas chromatographic–mass spectrometric investigation of dextromoramide (Palfium) metabolism in the horse 35
Rombaut, B., see Foriers, A. 105
Rosset, R., see Siret, L. 67
Salotto, A. W.
——, Weiser, E. L., Caffey, K. P., Carty, R. L., Racine, S. C. and Snyder, L. R.
Relative retention and column selectivity for the common polar bonded-phase columns. The diol-silica column in normal-phase high-performance liquid chromatography 55
Santiuste, J. M., see Fernández-Sánchez, E. 1
Sato, M., see Matsuzawa, S. 25
Schreiber, J.-P., see Cachia, C. 417
Schubert, B., see Johansson, I. M. 241
Senior, L. A., see Camilleri, P. 414
Setokuchi, O., see Matsuzawa, S. 25
Shimizu, Y., see Matsuzawa, S. 25
Siret, L.
——, Tambuté, A., Caude, M. and Rosset, R.
(*S*)-*thio*-DNBTYR-A and (*S*)-*thio*-DNBTYR-E as chiral stationary phases for analytical and preparative purposes. Application to the enantiomeric resolution of alkyl N-arylsulphinamoyl esters 67
Skidmore, G. L.
——, Horstmann, B. J. and Chase, H. A.
Modelling single-component protein adsorption to the cation exchanger S Sepharose® FF 113
Škvorc, I.
——, Zambeli, N., Iskrić, S. and Hadžija, O.
Thin-layer chromatography of some metals on silica gel layers impregnated with salicylic, syringic and *o*-phtalic acid 428
Snyder, L. R., see Salotto, A. W. 55
Spener, F., see Haalck, L. 410
Suann, C. J., see Reilly, P. J. 35
Tambuté, A., see Siret, L. 67
Tamura, M., see Matsuzawa, S. 25
Tanaka, S.
——, Kaneta, T. and Yoshida, H.
Isotachophoretic separation and behaviour of catechol derivatives 205
Tatsumoto, K., see Himmel, M. E. 93
Tejedor, M. C., see Delgado, C. 159
Terabe, S., see Nishi, H. 313
Timerbaev, A. R.
——, Tsoi, I. G. and Petrukhin, O. M.
Correlation analysis in liquid chromatography of metal chelates. I. One-dimensional retention–structure models in reversed-phase thin-layer chromatography 337
Tsoi, I. G., see Timerbaev, A. R. 337
Vařeka, J., see Punčochářová, J. 248
Vodička, L., see Punčochářová, J. 248
Weiser, E. L., see Salotto, A. W. 55
Wilson, T. D.
Validation of an amperometric high-performance liquid chromatographic determination of epinephrine in bupivacaine and epinephrine injection 402
Yamamoto, T., see Matsuzawa, S. 25
Yamashita, S., Miyashita, M. 137
Yoshida, H., see Tanaka, S. 205
Zambeli, N., see Škvorc, I. 428